

A modern kitchen scene featuring a Liebherr refrigerator on the left. The refrigerator has two tall doors with vertical silver handles and two drawers below with horizontal silver handles. To the right is a white countertop with a sink, a faucet, and a stove with four burners and silver knobs. A window in the background shows greenery and a pink flowering tree. The floor is made of dark grey tiles.

## **Refrigeration & Wine Cellars**

**LIEBHERR**  
Design, Quality, & Innovation





## CONTENTS

<b>The Liebherr Group</b>	<b>1</b>
<b>Liebherr: 10 Good Reasons</b>	<b>2</b>
<b>BioFresh and BioFreshPlus</b>	<b>3</b>
<b>Refrigeration Glossary</b>	<b>7</b>
<b>Side-by-Side Combinations</b>	<b>9</b>
<b>French Door Cooling Centre</b>	<b>15</b>
<b>Freestanding Single Units</b>	<b>17</b>
<b>Integrated Appliances</b>	<b>19</b>
<b>Wine Cellars Glossary</b>	<b>29</b>
<b>Triple Zone Wine Cellar</b>	<b>31</b>
<b>Multi Zone Wine Cellar</b>	<b>33</b>
<b>Single Zone Wine Cellars</b>	<b>35</b>
<b>Built-In Wine Cellars</b>	<b>37</b>
<b>Coming Soon</b>	<b>43</b>
<b>Overview</b>	<b>45</b>
<b>Installation Diagrams</b>	<b>48</b>
<b>Important Information</b>	<b>50</b>
<b>Customer Care</b>	<b>51</b>



# Global Success: Liebherr Corporate Group



Liebherr-Hausgeräte  
Ochsenhausen GmbH,  
Germany

Liebherr-Hausgeräte Lienz GmbH,  
Austria



Established in 1949 by Mr. Hans Liebherr with its beginnings in construction equipment, Liebherr is a family-owned company that is accomplished in numerous fields. The great success of its first mobile, easy-to-assemble and affordable tower crane was the foundation on which the company flourished. Today, Liebherr is not only one of the world's leading manufacturers of construction machinery, it is also a recognised supplier of many technically innovative, user-oriented products and services such as refrigeration and wine cellars. Over the years the family business grew into what it is today, a group of companies employing a workforce of approximately 32,000 in more than 100 companies on all continents in numerous fields.

Headquartered in Germany, Liebherr's engineering excellence provides the widest range of freezers, refrigerators and wine cellars in Europe. Numerous innovative products and ideas, top quality and advanced design make Liebherr a leading brand. It has become the benchmark in European refrigeration. With high quality German engineering and a 3 year warranty Liebherr is at the cutting edge of tomorrow's technology.



### 1 KNOW-HOW THAT MATTERS!

Liebherr has specialised in developing and manufacturing first class refrigerators and freezers of premium quality and cutting edge design for over 50 years. Innovative ideas are constantly added to the products to enhance freshness, improve ease-of-use and save even more energy.

### 2 PREMIUM PRODUCT QUALITY

To ensure the renowned Liebherr quality, only first class components are used. For example, accurate electronic control systems are used in conjunction with optimised refrigeration components. During the manufacturing process the appliances undergo comprehensive testing and inspection to ensure perfect workmanship and flawless functionality. This means Liebherr appliances have a long service life.

### 3 INNOVATIVE IDEAS

Liebherr appliances boast a compelling array of innovative ideas. Take for example, the freestanding Premium appliances with the new electronic control system and user-friendly Touch feature, or the PremiumPlus models with the innovative LED lighting, convenient IceMaker with twist tray, or GlassLine shelves for versatile use.

### 4 ENVIRONMENTALLY FRIENDLY

For Liebherr, being actively green starts at the very beginning of the design process. In keeping with this ethos, Liebherr uses high quality components for its appliances to provide long and safe operation and top energy efficiency. All plastics are marked for recycling. The manufacturing processes are also geared to efficient use of resources. For example: the heat naturally generated during manufacturing of the appliances is recycled as heating energy.

### 5 CLASSICAL DESIGN

The combination of classical, timeless design with high quality materials like glass and stainless steel makes Liebherr appliances the focal point in any kitchen.

### 6 SUPER ENERGY EFFICIENCY

By employing state-of-the-art, precision electronics combined with finely tuned, highly efficient refrigeration systems, Liebherr offers a wide range of energy saving appliances.

### 7 BIOFRESH FEATURE



In the BioFresh compartments food retains its healthy vitamins, aroma and appetising appearance up to three times longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity - HydroSafes with high humidity or DrySafes with low humidity - for a versatile storage solution.

### 8 NOFROST - PROFESSIONAL QUALITY FREEZING PERFORMANCE



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

### 9 PERFECT CLIMATE FOR FINE WINES



Liebherr's wine storage cellars are designed specifically to store wine in its optimum environment. These appliances feature state-of-the-art electronic control systems, special vibration free compressors and a host of features such as tinted glazed doors, activated charcoal filters and hand crafted wooden shelves on telescopic rails.

### 10 AWARDS GIVEN TO THE RANGE

The design quality of Liebherr appliances is confirmed by independent institutions. In Europe, Liebherr have accepted numerous awards for many appliances including the prestigious Reddot Design Award and Plus X Award.





## BioFresh from Liebherr: The healthier option

The exceptional freshness that BioFresh provides makes a significant contribution to a healthy diet. Two studies conducted by renowned research institutes\* recently confirmed this. Their joint conclusion: food quality benefits markedly from BioFresh technology. How great are the benefits of a BioFresh safe for food freshness compared with storage in a traditional vegetable compartment? This was the question studied by the Lake Constance Research Centre for Fruit Cultivation and the German Federal Research Institute for Nutrition: the results spoke clearly in favour of BioFresh from Liebherr. The vitamin C values alone were on average 92 per cent higher. Some foods even showed an increase in the vitamin C content. Weight retention during storage was increased by 68.3 per cent on average. Wastage in preparation was also significantly reduced.



<b>Vitamin C</b> (after 15 days)	<b>Apples</b>	<b>Asparagus</b>	<b>Peppers</b>	<b>Broccoli</b>	<b>Carrots</b>	<b>Grapes</b>	<b>Lettuce</b>	<b>Average</b>
HydroSafe	100.3%	78.2%	161.6%	88.3%	82.9%	134.4%	26.6%	104.4%
Vegetable comp.	92.9%	65%	154.2%	21.5%	32.4%	116.7%	21.9%	72.8%
<b>Difference</b>	<b>8%</b>	<b>20%</b>	<b>5%</b>	<b>310%</b>	<b>156%</b>	<b>15%</b>	<b>21%</b>	<b>92%</b>
<b>Weight</b> (after 15 days)								
HydroSafe	-0.6%	-4.8%	-1.7%	-3.8%	-9%	-0.6%	-3.1%	-3.1%
Vegetable comp.	-1.1%	-4.5%	-2.8%	-5.6%	-12.8%	-1.7%	-5.9%	-4.6%
<b>Difference</b>	<b>105%</b>	<b>6%</b>	<b>63%</b>	<b>49%</b>	<b>43%</b>	<b>170%</b>	<b>91%</b>	<b>68.3%</b>
<b>Storage life</b> (after 15 days)								
HydroSafe	80	18	30	13	80	29	13	
Vegetable comp.	50	10	17	5	50	12	5	
<b>Difference</b>	<b>30</b>	<b>8</b>	<b>13</b>	<b>8</b>	<b>30</b>	<b>17</b>	<b>8</b>	

\*Sources: Lake Constance Research Centre for Fruit Cultivation (KOB): "Influence of different climate zones in refrigerators on the quality of fruit and vegetables"; German Federal Research Centre for Nutrition (BFE): "Investigation into retaining the quality of fresh fruit and vegetables", 2003.



## The power of freshness with BioFresh and BioFreshPlus


Nutritionists recommend one simple recipe for fitness and well-being: a healthy diet. Nature offers a whole range of vital substances, vitamins, minerals, proteins and carbohydrates to give our bodies energy and stamina. A healthy diet can also put you in a good mood. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours for long as possible. Liebherr's BioFresh and BioFreshPlus technology gives your quality of life a decisive boost by keeping your food fresher for much longer.



BioFresh: Asparagus + 8 days\*



BioFresh: Scampi + 1 day\*  
BioFreshPlus: Scampi + 3 days\*



BioFresh: Carrots + 30 days\*



BioFresh: Raspberries + 2 days\*



BioFresh: Fish + 1 day\*  
BioFreshPlus: Fish + 3 days\*



BioFresh:  
Cheese (selected kinds)  
100 days plus\*



BioFresh: Broccoli + 8 days\*



BioFresh: Lettuce + 8 days\*











BioFresh: Grapes + 17 days\*

\*This information relates to storage in a BioFresh or BioFreshPlus compartment compared with a traditional refrigerator compartment.

## Fresh & Fit made simple

Fresh, healthy products give your body everything needed for vitality, stamina and a sense of all-round well-being. Day in day out, fruit and vegetables with their high vitamin content make a vital contribution to a healthy lifestyle and the right mix delivers the best results for good health. Every natural product has its own special properties and to optimally preserve them, fruit and vegetables need the right environment: just above 0°C in the BioFresh HydroSafe.

	VITAMIN	FUNCTION	SOURCE	STORAGE LIFE
	<b>Vitamin A</b>	Strengthens the immune system, promotes good vision, promotes children's growth and strengthens teeth.	Carrots, kale, fennel, spinach, lamb's lettuce, broccoli, apricots, sugar, melon.	e.g <b>Carrots</b> Vegetable compartment: 50 days HydroSafe: 80 days
	<b>Vitamin B2</b>	For clear and healthy skin, protects the nerve cells, is important for vision, and boost energy supply of the cells.	Yellow peppers, kale, broccoli, avocados, mushrooms, porcini mushrooms.	e.g <b>Mushrooms</b> Vegetable compartment: 3 days HydroSafe: 7 days
	<b>Vitamin B5</b>	Promotes the growth of hair and hair pigmentation, helps to restore equanimity, wards off infection.	Strawberries, black currants, apricots, cauliflower, broccoli.	e.g <b>Strawberries</b> Vegetable compartment: 3 days HydroSafe: 7 days
	<b>Vitamin B6</b>	Activates the immune system, supports nerve function, increases energy and stamina, and helps reduce stress.	Beans, spinach, potatoes, broccoli.	e.g <b>Broccoli</b> Vegetable compartment: 5 days HydroSafe: 13 days
	<b>Vitamin C</b>	Boosts the immune system, increases the production of collagen and so maintains healthy skin, assists cell regeneration, and promotes a sense of general well-being.	Peas, kale, artichokes, asparagus, peppers, onions, cabbage, raspberries.	e.g <b>Raspberries</b> Vegetable compartment: 1 day HydroSafe: 3 days
	<b>Vitamin E</b>	Is regarded as the "anti-aging vitamin": counteracts aging processes, strengthens the immune system, and hinders the formation of deposits in the blood vessels.	Fennel, peppers, brussel sprouts, tomatoes, white beans, asparagus, lettuce.	e.g <b>Salad</b> Vegetable compartment: 5 days HydroSafe: 13 days
	<b>Vitamin K</b>	Promotes vitality, supports healthy bone structure, assists in the optimal utilisation of carbohydrates.	Chicory, carrots, brussel sprouts, lettuce, cauliflower, peas, broccoli.	e.g <b>Peas</b> Vegetable compartment: 7 days HydroSafe: 14 days

## Strong partners: vitamins and olive oil

Fresh salad every day gives the body lots of healthy vitamins. There's a simple rule you can follow: the more colourful, the healthier it is! This is because colours are indicative of various substances in salad and vegetables. The most important accompaniment for salad is olive oil. Thanks to the high proportion of mono-unsaturated fatty acids and natural antioxidants, olive oil protects the arteries and so naturally guards against heart disease. Olive oil has a high vitamin E content and also contains vitamins A and D. These vitamins strengthen the immune system, nourish hair, provide strong nails and healthy skin.





## Longer lasting freshness

BioFresh and BioFreshPlus compartments provide the perfect climate for keeping your food fresh for up to 3 times longer than a conventional refrigerator crisper drawer. The BioFresh technology combines an ideal temperature of just above 0°C with ideal humidity conditions. The BioFreshPlus technology holds the temperature between -2°C to +6°C. Fruit and vegetables stay fresher for longer in conditions of high humidity, while a dry environment is ideal for storing meat, fish and dairy products.

Below is a table showing a comparison of the lengths of storage time between a refrigerator, BioFresh and BioFreshPlus compartment.

Low Humidity Setting	Refrigerator	BioFresh	BioFreshPlus
Fresh Milk	Up to 3 days	Up to 12 days	Up to 12 days (0°C)
Butter	Up to 30 days	Up to 90 days	Up to 90 days (0°C)
Soft Cheese (Brie, Fetta)	Up to 4 days	Up to 20 days	Up to 20 days (0°C)
Slices of Cold Meats (Ham)	Up to 1 day	Up to 9 days	Up to 9 days (0°C)
Fish	Up to 1 day	Up to 2 days	Up to 4 days (-2°C)
Poultry	Up to 1 day	Up to 6 days	Up to 6 days (0°C)
Egg, raw	Up to 15 days	Up to 45 days	Up to 45 days (0°C)
High Humidity Setting	Refrigerator	BioFresh	BioFreshPlus
Celery	Up to 13 days	Up to 28 days	Up to 28 days (0°C)
Cauliflower	Up to 12 days	Up to 21 days	Up to 21 days (0°C)
Broccoli, Lettuce, Spinach	Up to 5 days	Up to 13 days	Up to 13 days (0°C)
Zucchini	Up to 27 days	N / A	Up to 30 days (+6°C)
Peas	Up to 7 days	Up to 14 days	Up to 14 days (0°C)
Fennel	Up to 13 days	Up to 28 days	Up to 28 days (0°C)
Avocado	Up to 12 days	N / A	Up to 13 days (+6°C)
Carrots	Up to 50 days	Up to 80 days	Up to 80 days (0°C)
Garlic	Up to 80 days	Up to 160 days	Up to 160 days (0°C)
Herbs	Up to 6 days	Up to 13 days	Up to 13 days (0°C)
Leek	Up to 15 days	Up to 29 days	Up to 29 days (0°C)
Mushrooms	Up to 3 days	Up to 7 days	Up to 7 days (0°C)
Brussel Sprouts	Up to 11 days	Up to 20 days	Up to 20 days (0°C)
Asparagus	Up to 10 days	Up to 18 days	Up to 18 days (0°C)
Grapes	Up to 12 days	Up to 29 days	Up to 29 days (0°C)
Apples	Up to 50 days	Up to 80 days	Up to 80 days (0°C)
Apricots	Up to 7 days	Up to 13 days	Up to 13 days (0°C)
Pears	Up to 26 days	Up to 55 days	Up to 55 days (0°C)
Strawberries	Up to 3 days	Up to 7 days	Up to 7 days (0°C)
Watermelon	Up to 27 days	N / A	Up to 30 days (+6°C)
Peaches	Up to 5 days	Up to 13 days	Up to 13 days (0°C)
Plums	Up to 10 days	Up to 20 days	Up to 20 days (0°C)

Some fruit and vegetables are sensitive to cold and should not be stored in a BioFresh compartment (0°C), such as Pineapple, Avocado, Pumpkin, Zucchini, Citrus Fruits, Green Beans, Cucumbers and Eggplant. These types of food should be stored in a refrigerator drawer or where applicable, a BioFreshPlus compartment at +6°C.

All values are standard and vary on an individual basis depending on the variety and proper storage with an uninterrupted cooling chain from harvesting / producer to the Liebherr BioFresh refrigerator (as at 4/08). For all foodstuffs with an expiry date, the date on the package applies.

### BioCool

**BioCool** switches the BioCool compartment to maximum cooling. It is recommended if you wish to cool food or drinks rapidly. After approximately 6 hours the electronic control system switches back to normal energy-saving operation. Selected models feature a BioCool button whilst other models the BioCool option can be selected through the menu.

### BioFresh



Liebherr's **BioFresh** technology offers you just the right climate for all different kinds of food. The low humidity **DrySafe** is ideal for storing meat, fish and dairy products. Fruit and vegetables are best kept in **HydroSafe** with a high level of humidity. Precision electronics ensure that the temperature is accurately maintained at just above 0°C, thus preventing your food from freezing. The humidity in the HydroSafe can be adjusted according to your needs.



### BioFreshPlus

The separate **BioFreshPlus** electronic control system enables you to control the temperatures to suit your food. Setting from -2°C to +6°C with different humidity settings enables you to store produce from fish to exotic fruits for longer. Food stored in BioFreshPlus compartments retain healthy vitamins, aroma and appetising appearance up to three times longer than in a conventional fridge.

### Bottle Rack

The **Bottle rack** is the perfect complement to the interior of the refrigerator, featuring slightly inclined shelves.

### Bottle Shelf

The **Bottle shelf** is the practical and elegant answer for storing drinks. As many as five bottles can be chilled quickly and kept stored in a space-saving way.

### Champagne Shelf

The **Champagne shelf** offers ample space for rapidly cooling 5 bottles. The drinks just over 0°C are especially refreshing.

### Forced Air System

The high performance **Forced Air System** ensures rapid cooling of food and an even cooling temperature throughout the internal space. Door contact switches off the fan when the door is open, which saves valuable energy and prevents warmer external air from entering the refrigerator.

### FrostSafe



The transparent drawers are extra deep, sealed all around, can be easily removed and are designed so that all frozen food from large poultry to a boxed pizza will fit conveniently and neatly. With **FrostSafe** system, cold temperatures are generated above and below every drawer, these can be used for both freezing and storage.

There's no need to repack the food once it has been frozen.

### GlassLine Storage Shelves

The attractive stainless steel trims add a finished touch to the harmonious appearance of the elegant, tough, scratch resistant and easy to clean **GlassLine storage shelves**. One of the glass shelves is sectioned so that the front half can slide under the other to provide room for tall containers.

### IceMaker



Liebherr's internal **IceMaker**, which is permanently plumbed in, provides you with a constant supply of perfect ice cubes for every occasion. The IceMaker replenishes your supply automatically and can be turned off if needed. The twist tray principle means the ice cubes are dispensed from the tray without having to heat them. The ice cubes do not defrost and do not change shape or stick.



### LCD Display

The **LCD display** with the innovative design, user friendliness and clear menu assistance provides even more information and enhanced convenience. The wide array of options on the 60mm x 60mm LCD display is clearly presented. All controllable functions are accessed at the press of a menu button. Detailed information on the storage life of food is also available.

### LED Light Column

The **LED light column** creates a benchmark in interior illumination. LED technology means that the light housing can be compactly incorporated in the compartment liner. The LED lights are cooler, longer lasting and more energy efficient.

## MagicEye Controls

The elegant and exact **MagicEye** controls keep the temperature at precisely the level you select. Clearly arranged function buttons make the appliance as easy as possible to use.



## NoFrost



Liebherr's **NoFrost** appliances offer professional quality refrigeration. The food is surrounded by a stream of ice cold air and quickly freezes, preserving vitamins and flavour. Excess humidity is taken out of the freezer compartment so that the appliance never frosts over. Defrosting is no longer necessary.

## PremiumPlus



Hallmarks of the **PremiumPlus** range include a light column integrated into each side of the refrigeration compartment liner which has numerous LED lights within, ensuring uniform illumination of the interior. The LED lights are cooler, longer lasting and more energy efficient. The BioFresh compartment and freezer in the PremiumPlus range also feature LED lighting for an even better view of the food inside.



## Roller System

Selected refrigerator models come with a convenient **roller system** for sliding out the vegetable bins. In the floor of the compartment liner are two removable plates with integrated rollers. The vegetable bins slide out effortlessly on the roller system.



## SmartFrost

**SmartFrost** technology results in cold energy being released directly onto the side wall, greatly increasing the cooling rate and time. Due to SmartFrost technology the interior walls of the freezer are smooth and easy to clean. The intervening tempered glass shelves and the transport drawers are removable, permitting use of the entire interior, even for large frozen produce.

## SoftSystem

The **SoftSystem** integrated on the door cushions the movement when the door is closed. This SoftSystem ensures that the door closes very gently even if the inner door is fully loaded. In addition, the door is automatically closed from an opening angle of about 30°. The SoftSystem cushion function is the innovative system for extra safety and convenience.



## SuperCool

The **SuperCool** function reduces the temperature of the refrigerator to +2°C for 6 hours. This function is ideal if you want to chill food quickly. After 6 hours it automatically switches back to normal operation.

## SuperFrost

The automatic **SuperFrost** function reduces the temperature in your freezer to as low as -32°C. So you can freeze fresh food quickly and carefully preserve. The SuperFrost function automatically switches back to normal operation when the freezer has reached -32°C and the food is completely frozen.

## Transparent Drawer

The attractively designed **transparent drawers** are extremely practical. They are extra deep, sealed all around and can be removed. They give you a clear view of the contents, offer convenient storage and are designed so that all frozen food will fit easily.

## VarioSpace



All the intervening shelves are made of safety glass and are removable to create **VarioSpace**, the practical system for extra storage. The transparent drawers are extra deep and are designed so that all frozen foods will fit conveniently and neatly, and are easy to remove. Every drawer can be used both for freezing and storage.

## Wine Cellar Compartment

In the **wine cellar compartment**, wines can be stored in two independently controlled temperature zones to exact temperatures between 5°C and 20°C to achieve the optimal drinking or storage temperature. The **SBSes 7155** is fitted with four beech timber shelves. Two of the shelves are on telescopic rails and can be tilted allowing the wine to be perfectly displayed or open bottles to be securely stored.

Not all features are available in all Liebherr models.



**SBSes 7155**



## Stainless Steel Side-by-Side Cooling Centre



### SBSes 7155

The SBSes 7155 Side-by-Side offers a combination of refrigerator with BioFresh technology, NoFrost freezer with automatic IceMaker and a dual zone wine cellar compartment.



### Refrigerator / BioFresh

Total gross volume 403 litres / Total net volume 364 litres  
 Refrigerator / BioFresh gross volume 277 litres / 126 litres  
 Refrigerator / BioFresh net volume 247 litres / 117 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display & temperature  
 SuperCool function  
 Forced air system  
 BioFresh with DrySafe and HydroSafe drawers  
 Drawers in BioFresh compartment mounted on telescopic rails  
 GlassLine storage shelves & door interior  
 Removable VarioBoxes  
 Bottle shelf  
 Egg tray  
 LED light  
 Audible door open warning signal  
 Optical and acoustic malfunction warning signal  
 Elegant holding columns for rearrangement of glass shelves  
 SlimLine door handle with integrated opening mechanism  
 SoftSystem hinge - door cushion assists closure

### Wine Cellar

Gross volume 145 litres / Net volume 128 litres  
 SmartSteel - visibly reduces finger prints  
 Triple glazed tinted glass door  
 41 bottle capacity (750ml Bordeaux)  
 MagicEye SoftTouch control system  
 Child proof setting for display & temperature  
 Forced air system  
 2 temperature zones adjustable from 5°C - 20°C  
 4 wooden shelves with 2 mounted on telescopic rails  
 2 shelves can be folded down in part

Dimmable LED light  
 Audible door open warning signal  
 SlimLine door handle with integrated opening mechanism  
 SoftSystem hinge - door cushion assists closure

### NoFrost Freezer

Gross volume 150 litres / Net volume 119 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display & temperature  
 Automatic defrosting  
 SuperFrost function  
 FrostSafe system with transparent drawers  
 VarioSpace  
 2 cold storage accumulators  
 24hr freezing capacity: 16kg  
 Audible temperature alarm  
 Audible door open warning signal  
 SlimLine door handle with integrated opening mechanism  
 SoftSystem hinge - door cushion assists closure

### IceMaker

Automatic ice cube maker with solenoid valve, permanently plumbed in  
 Ice cube capacity 0.8kg / 24hr  
 Ice cube stock max. 1.5kg

5 separately adjustable cooling zones

### Energy Rating

Wine Cellar / Freezer:  
 3.0 stars (Energy consumption 339kWh per year)  
 Refrigerator / BioFresh  
 3.0 stars (Energy consumption 252kWh per year)



**SBSes 7353**





## The Side-by-Side BioFresh Freshness Centre



### SBSes 7353

The SBSes 7353 Side-by-Side Refrigerator with BioFresh technology provides the perfect environment to store food up to three times longer. SmartSteel will also visibly reduce finger prints.



### Refrigerator

Gross volume 405 litres / Net volume 391 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 GlassLine storage shelves - one shelf with slide under half shelf option  
 Removable VarioBoxes  
 Transparent fruit and vegetable bins on telescopic rails  
 Bottle shelf  
 LED interior light  
 Audible door alarm  
 SlimLine door handle with integrated opening mechanism

### BioFresh

Gross volume 171 litres / Net volume 157 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 BioCool function  
 Forced air system  
 DrySafe and HydroSafe drawers mounted on telescopic rails  
 GlassLine storage shelves  
 Champagne shelf for fast chilling bottles  
 Audible door open warning signal  
 Optical malfunction warning signal  
 SlimLine door handle with integrated opening mechanism

### NoFrost Freezer

Gross volume 150 litres / Net volume 119 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 Automatic defrosting  
 SuperFrost function  
 FrostSafe system with transparent drawers  
 2 cold storage accumulators  
 24hr freezing capacity: 14kg  
 Optical and audible temperature alarm  
 SlimLine door handle with integrated opening mechanism

### IceMaker

Automatic ice cube maker with solenoid valve, permanently plumbed in  
 Ice cube capacity 0.8kg / 24hr  
 Ice cube stock max. 1.5kg

3 separately adjustable cooling circuits

### Energy Rating

BioFresh / Freezer:  
 3.0 stars (Energy consumption 358kWh per year)  
 Refrigerator:  
 2.5 stars (Energy consumption 279kWh per year)

**SBSes 7252**



## The Side-by-Side Big Food Storage Centre




### Refrigerator

Gross volume 405 litres / Net volume 391 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 7 GlassLine storage shelves  
 - of which 6 are adjustable and 1 is sectioned  
 Glass door shelves with stainless steel trim  
 Integrated bottle shelf  
 Transparent fruit and vegetable bins on telescopic rails  
 Egg tray  
 Removable VarioBoxes  
 LED interior light  
 Audible warning signal if door left open  
 Optical and acoustic temperature alarm  
 Optical and acoustic malfunction warning signal  
 SlimLine door handle with integrated opening mechanism

### SBSes 7252

The Side-by-Side SBSes 7252 is a generous solution for refrigeration and freezing. The NoFrost freezer guarantees the highest level of comfort whilst the spacious refrigerator section is great for daily freshness.



### NoFrost Freezer

Gross volume 304 litres / Net volume 261 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 Automatic defrosting  
 SuperFrost function  
 Forced air system  
 8 freezer drawers  
 Glass shelves under drawers  
 FrostSafe system with transparent drawers  
 2 cold storage accumulators  
 24hr freezing capacity: 20kg  
 Special drawer for herbs and berries  
 VarioSpace  
 LED interior light  
 Audible warning signal if door left open  
 Optical and acoustic temperature alarm  
 Optical and acoustic malfunction warning signal  
 SlimLine door handle with integrated opening mechanism

2 separately adjustable cooling circuits

### Energy Rating

Freezer:

3.5 star rating (Energy consumption 310kWh per year)

Refrigerator:

2.5 star rating (Energy consumption 279kWh per year)



**CNes 6256**




## The Ultimate Design For Fresh Food Storage



### CNes 6256

Boasting a spacious fridge cavity and generous freezer drawers, the stainless steel French door cooling centre comes complete with an array of features including SuperCool and SuperFrost, and LED light columns integrated into the refrigerator compartment liner.



### Refrigerator

Gross volume 402 litres / Net volume 374 litres  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 GlassLine storage shelves  
 3 pull out vegetable bins mounted on telescopic rails  
 3 storage shelves of which 2 are adjustable  
 LED light column integrated into compartment liner sides  
 LED ceiling light  
 LED light spots for vegetable bins  
 Internal water filter  
 Elegant holding columns for rearrangement of glass shelves  
 Audible door open warning signal  
 Optical and acoustic malfunction warning signal

### NoFrost Freezer

Gross volume 183 litres / Net volume 114 litres  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 Automatic defrosting  
 SuperFrost function  
 FrostSafe system with transparent drawers  
 2 freezer drawers on telescopic rails  
 LED light  
 24hr freezing capacity: 10kg  
 Audible door open warning signal  
 Optical and acoustic malfunction warning signal

### IceMaker

Automatic ice cube maker with solenoid valve, permanently plumbed in  
 Ice cube capacity 1.3kg / 24hr  
 Ice cube stock max. 2.7kg

Dual Compressors

### Energy Rating

2.5 stars (Energy consumption 546kWh per year)

This appliance has specific installation requirements which can be found in the owners manual.



**CBNes 5167**



## CBNes 5167



## SKes 4210



### Refrigerator / BioFreshPlus / Freezer

#### Refrigerator

Gross volume 225 litres  
 Net volume 196 litres  
 SmartSteel - visibly reduces finger prints  
 LCD display (MagicEye panel)  
 - electronic touch control  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air cooling  
 GlassLine storage shelves  
 Removable VarioBoxes  
 Bottle shelf  
 Egg tray  
 LED light column  
 Elegant holding columns for rearrangement  
 - of glass shelves  
 Door open warning signal  
 Optical and acoustic malfunction warning signal  
 SlimLine door handle with integrated  
 - opening mechanism  
 SoftSystem hinge - door cushion  
 - assists closure

#### BioFreshPlus

Gross volume 111 litres  
 Net volume 97 litres  
 BioFresh with DrySafe and HydroSafe drawers  
 Drawers in BioFresh compartment  
 - mounted on telescopic rails  
 LED interior light  
 BioFreshPlus drawer temperatures  
 -2°C, 0°C & 6°C

#### NoFrost Freezer

Gross volume 137 litres  
 Net volume 110 litres  
 SmartSteel - visibly reduces finger prints  
 Automatic defrosting  
 SuperFrost function (quantity controlled)  
 Forced air system  
 FrostSafe system with transparent drawers  
 VarioSpace  
 LED lighting  
 2 cold storage accumulators  
 24hr freezing capacity: 14kg  
 Door open warning signal  
 Optical and acoustic malfunction warning signal  
 SoftSystem hinge - door cushion  
 - assists closure

#### IceMaker

Automatic ice cube maker with solenoid valve,  
 permanently plumbed in  
 Ice cube capacity 1kg / 24hr  
 Ice cube stock max. 1.5kg

#### Dual Compressors

4 separately adjustable cooling zones

#### Energy Rating

3.5 stars (Energy consumption 369kWh per year)

### Refrigerator

#### Refrigerator

Gross volume 405 litres  
 Net volume 391 litres  
 SmartSteel - visibly reduces finger prints  
 MagicEye SoftTouch control system  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 GlassLine storage shelves  
 - one shelf with slide under half shelf option  
 Transparent fruit and vegetable bins  
 - on telescopic rails  
 Bottle shelf  
 LED interior light  
 Audible door alarm  
 SlimLine door handle  
 - with integrated opening mechanism

#### Energy Rating

2.5 stars (Energy consumption 279kWh per year)



**SBS 5714#**

**SICBN 3056 (left)**

**SICBN 3066 (right)**

## Fully integrated solutions for the sophisticated kitchen

For many years kitchens have become one of the focal points of a home. Gone are the days where kitchens were used merely for preparation, cooking and cleaning purposes – kitchens are now part of the entertainment areas in many homes, particularly for those with open space living plans.

Liebherr fully integrated refrigeration is the perfect addition to the core of any kitchen plan. Fully integrated refrigeration allows you to conceal your fridge and/or freezer behind cabinetry that matches your décor perfectly. This allows you to streamline the kitchen appearance, creating an aesthetically pleasing environment. Unlike many other integrated models in the market which require excess surround, Liebherr integration requires only standard cabinetry allowing you to maintain vital space for other storage requirements.

# = Side-by-Sides are combinations of two Liebherr models



**SBS 5713#**  
**SICBN 3056 (left)**  
**SICN 3066 (right)**



**SBS 5712#**  
**SICN 3056 (left)**  
**SICN 3066 (right)**



## INTEGRATED APPLIANCES

### SICBN 3066



### SICBN 3056



The below features are applicable to both the SICBN 3066 and SICBN 3056 except where otherwise noted.

#### Refrigerator

Gross volume 119 litres  
 Net volume 106 litres  
 MagicEye controls  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 GlassLine storage shelves & storage racks - 1 slide under half-shelf option  
 Integrated bottle shelf  
 Butter & cheese compartment with egg tray  
 LED interior light (SICBN 3056)  
 Integrated LED light column (SICBN 3066)  
 Optical and audible warning signal  
 Door on door integration system  
 Elegant holding columns for rearrangement of glass shelves  
 SoftSystem hinge - door cushion assists closure  
 Default right hand hinge (SICBN 3066)  
 Default left hand hinge (SICBN 3056)

#### BioFresh

Gross volume 54 litres  
 Net volume 52 litres  
 2 DrySafe and HydroSafe drawers mounted on telescopic rails  
 LED lighting (SICBN 3066)

#### NoFrost Freezer

Gross volume 79 litres  
 Net volume 66 litres (SICBN 3056)  
 Net volume 65 litres (SICBN 3066)  
 MagicEye controls  
 Child proof setting for display and temperature  
 Automatic defrosting  
 SuperFrost function  
 FrostSafe system with transparent drawers  
 LED freezer lighting (SICBN 3066)  
 Freezer tray  
 2 cold storage accumulators  
 24hr freezing capacity: 10kg  
 VarioSpace  
 Optical and audible warning signal  
 Door on door integration system  
 SoftSystem hinge - door cushion assists closure

#### IceMaker (SICBN 3066)

Automatic ice cube maker with solenoid valve, permanently plumbed in  
 Ice cube capacity 0.8kg / 24hr  
 Ice cube stock max. 1.6kg

2 separately adjustable cooling controls for refrigerator and freezer

#### Energy Rating

1.5 stars (Energy consumption 461kWh per year)

PLEASE NOTE: For important information about ventilation for integrated appliances see page 50.

## SICN 3066



## SICN 3056



The below features are applicable to both the SICN 3066 and SICN 3056 except where otherwise noted.

### Refrigerator

- Gross volume 200 litres
- Net volume 197 litres
- MagicEye controls
- Child proof setting for display and temperature
- SuperCool function
- Forced air system
- GlassLine storage shelves
- Swayable butter & cheese compartment cover
- Roller system
- LED interior light
- Optical warning system
- Door on door integration system
- Elegant holding columns for rearrangement of glass shelves
- SoftSystem hinge - door cushion assists closure
- Default right hand hinge (**SICN 3066**)
- Default left hand hinge (**SICN 3056**)

### NoFrost Freezer

- Gross volume 79 litres
- Net volume 65 litres
- MagicEye controls
- Child proof setting for display and temperature
- Automatic defrosting
- SuperFrost function
- FrostSafe system with transparent drawers
- Freezer and ice cube tray
- 24hr freezing capacity: 10kg
- Optical and audible warning signal
- Door on door integration system
- SoftSystem hinge - door cushion assists closure

### IceMaker (SICN 3066)

- Automatic ice cube maker with solenoid valve, permanently plumbed in
- Ice cube capacity 0.8kg / 24hr
- Ice cube stock max. 1.6kg

2 separately adjustable cooling controls for refrigerator and freezer

### Energy Rating

2.0 stars (Energy consumption 402kWh per year)



**#SBS 6114 is a side-by-side combination of SIGN 2566 (left) and SIKB 3650 (right).**



## **SIGN 2566**



### **NoFrost Freezer**

Gross volume 248 litres  
 Net volume 206 litres  
 MagicEye controls  
 Child proof setting for display and temperature  
 SuperFrost function  
 Automatic defrosting  
 FrostSafe system  
 Transparent freezer drawers with telescopic rails on 5 of the drawers  
 VarioSpace  
 2 cold storage brick accumulators  
 24hr freezing capacity: 18kg  
 Freezer tray  
 Optical malfunction warning signal  
 Optical and audible temperature alarm  
 Audible door open warning signal  
 Reversible door opening  
 Door on door integration system  
 SoftSystem hinge - door cushion assists closure  
 Default left hand hinge

### **IceMaker**

Automatic ice cube maker with solenoid valve, permanently plumbed in  
 Ice cube capacity 0.8kg / 24hr  
 Ice cube stock max. 1.5kg

### **Energy Rating**

3.0 stars (Energy consumption 329kWh per year)

## **SIKB 3650**



### **Refrigerator**

Gross volume 232 litres  
 Net volume 215 litres  
 MagicEye controls  
 Child proof setting for display and temperature  
 SuperCool function  
 Forced air system  
 GlassLine storage shelves & storage racks - 1 slide under half-shelf option  
 Integrated bottle shelf  
 Butter & cheese compartment with egg tray  
 LED light column integrated into compartment liner sides  
 Optical malfunction warning signal  
 Audible door open warning signal  
 Door on door integration system  
 SoftSystem hinge - door cushion assists closure  
 Default right hand hinge

### **BioFresh**

Gross volume 94 litres  
 Net volume 92 litres  
 3 DrySafe and HydroSafe drawers mounted on telescopic rails  
 LED lighting integrated into side wall  
 Door on door integration system  
 SoftSystem hinge - door cushion assists closure

### **Energy Rating**

1.5 stars (Energy consumption 318kWh per year)




**#SBS 4712 is a side-by-side combination of SIG 1956 (left) and SIKP 2850 (right).**

## SIG 1956



## SIKP 2850



### Freezer

Gross volume 188 litres  
 Net volume 186 litres  
 MagicEye controls  
 Child proof setting for display and temperature  
 SuperFrost function  
 Manual defrosting  
 FrostSafe system  
 SmartFrost technology  
 Transparent freezer drawers  
 VarioSpace  
 2 cold storage brick accumulators  
 24hr freezing capacity: 16kg  
 Freezer tray  
 Optical and audible warning signal in case of temperature loss  
 Reversible door opening  
 Door on door integration system  
 SoftSystem hinge - door cushion assists closure  
 Default left hand hinge

### Energy Rating

3.0 stars (Energy consumption 271kWh per year)

### Refrigerator

Gross volume 265 litres  
 Net volume 254 litres  
 MagicEye controls  
 Child proof setting for display and temperature  
 SuperCool function  
 Interior light  
 Smooth easy to clean interior  
 Multiple shelf supports  
 GlassLine storage shelves - 1 sectioned, with slide under half shelf option  
 GlassLine door compartment with bottle and jar holder  
 Butter and cheese compartment with cover  
 Butter dish and egg tray  
 Fruit and vegetable bins on roller system  
 Fan forced cooling  
 115° door opening with 90° door stop  
 Door is self closing if opened less than 30°  
 SoftSystem hinge - door cushion assists closure  
 Default right hand hinge

### Energy Rating

1.5 stars (Energy consumption 310kWh per year)



### Maximum freshness in compact size

The Liebherr underbench **UIK 1620** fully integrated refrigerator and **UIG 1313** fully integrated freezer are the perfect solution for those seeking to maximize functionality, where space may be limited. By fitting the fully integrated refrigerator and fully integrated freezer under a benchtop and behind your own cabinetry, a uniform appearance is created resulting in a streamlined aesthetically pleasing environment. The height and depth of the appliances can also be adjusted to blend in with the kitchen environment by means of the VarioPlinth.

Both appliances have MagicEye controls and LED temperature indicators which allow for precise temperatures to be set and easily viewed. Offering unique Liebherr features such as SuperCool and SuperFrost, accompanied by extra storage under the bottom shelf or drawer, the compact refrigerator and freezer make the ultimate pigeon pair.



**UIK 1620 (Left) & UIG 1313 (Right)**

## UIG 1313



### Freezer

Gross volume 96 litres  
 Net volume 95 litres  
 MagicEye controls  
 LED temperature indicator  
 Manual defrost  
 SuperFrost function  
 SmartFrost technology  
 FrostSafe system  
 Easy clean one piece moulded interior  
 3 separate storage drawers  
 2 cold storage accumulators  
 24hr freezing capacity: 12kg  
 Extra storage under bottom drawer  
 Drawer information system  
 VarioSpace  
 Audible / visible warning signal  
 Self diagnostic fault display  
 115° door opening  
 Reversible door opening  
 Door on door integration system  
 VarioPlinth  
 Built-in ventilation & air extraction through plinth  
 Adjustable feet up to 50mm  
 Default right hand hinge

### Energy Rating

3.5 stars (Energy consumption 169kWh per year)

## UIK 1620



### Refrigerator

Gross volume 140 litres  
 Net volume 135 litres  
 Automatic defrost  
 MagicEye controls  
 LED temperature indicator  
 SuperCool  
 Moist air cooling  
 Easy clean one piece moulded interior  
 GlassLine door interior  
 GlassLine storage shelves with stainless steel trim  
 - of which 3 are adjustable and 1 is sectional  
 1 vegetable bin  
 Deep bottle rack  
 Storage rack for cans  
 Egg tray  
 Interior lighting  
 115° door opening  
 Reversible door opening  
 Door on door integration system  
 VarioPlinth  
 Built-in ventilation & air extraction through plinth  
 Adjustable feet up to 50mm  
 Default right hand hinge

### Energy Rating

3.5 stars (Energy consumption 153kWh per year)

# The perfect range for wine connoisseurs

It is only under ideal conditions that a good wine can develop into a premium vintage and guarantee maintaining its long-term value. For this, the technically advanced single zone wine cellars and multi zone wine cellars from Liebherr are the perfect answer. Incorporating the latest climate technology, they provide precisely the right conditions for wines to mature in peace and reach their peak of flavour. Including a state-of-the-art electronic control system, unique compressors and a host of thoughtfully designed features, such as the activated charcoal filter and the special glass doors for essential UV protection, these appliances are specifically tailored for storing your wine in the best condition.

## GrandCru and Vinothek

The GrandCru & Vinothek series are particularly economical with their electronic control and exceptional insulation for a wider range of climates. The attractive wooden shelves, sophisticated profile and elegant SlimLine handle make them the first choice for discriminating palates. The GrandCru series are available in a compact size that can store up to 18 Bordeaux 750ml bottles such as **WKEes 553** right through to 312 bottle capacity such as **WK 6476**.

## Vinidor

The Vinidor range offers two or three wine compartments in which the temperature can be individually set to the exact degree required. This means that red wine, white wine and champagne can be kept at their ideal serving temperatures in the same appliance. These wine cellars also provide the facility to set the ideal temperature for storing large quantities of wine for a longer term.

## Principal Points

### Constant Temperature

Liebherr wine cellars maintain precise temperatures. Features include electronic thermostats, heaters, fans and temperature selection from 5°C to 20°C.

### Perfect Air Quality

Liebherr wine cellars contain an activated charcoal filter and natural untreated beech wood shelves which ensure perfect air quality and reduce the instance of mould growth on corks and labels.

### Vibration Free

All compressors are engineered to Liebherr's precise German standards and are mounted on "isolation blocks" designed to absorb vibrations. This prevents the fine components of the sediment being disturbed.

### Ideal Humidity

With 50% - 80% humidity, Liebherr wine cellars guarantee ideal conditions for the suppleness of the cork and the prevention of oxidization.



GrandCru **WK 6476**

### UV Protection

Liebherr wine cellars have tinted, double or triple glazed glass doors (depending on the model) which prevent harmful ultraviolet rays causing unwanted reactions in your wine and discolouration of your labels.

## 90 Day Money Back Guarantee\*

Incorporating state-of-the-art technology, Liebherr wine cellars provide the right conditions for wines to reach their peak of flavour. We are so confident that Liebherr wine cellars are the only choice for wine storage that we offer a 90 day money back guarantee.

\* See p.47 for terms & conditions.





### A triple delight

The triple zone wine cellar **WTes 4677** is the highlight in the Vinidor range. In this appliance, the three temperature zones can be set independently of one another ranging between 5°C and 20°C. Red wine, white wine, and champagne can be stored at the same time in this appliance, each at its ideal drinking temperature. The three temperature zones are designed in different sizes to provide an extra amount of space for the preferred variety.



#### **WTes 4677**

- Vinidor
- 143 bottle capacity\*
- Double glazed tinted glass door
- Stainless steel
- SlimLine door handle with integrated opening mechanism
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter in each compartment
- Electronic control panel
- Internal digital temperature display
- 3 independent temperature zones
- Each zone adjustable from 5°C to 20°C
- Audible door alarm if left open
- Malfunction warning signal
- Temperature alarm warning signal
- Dimmable LED interior lighting with separate switch
- 10 wooden pull-out shelves mounted on telescopic rails (handcrafted beech wood)
- 3 base shelves
- Child proofing
- Dual compressors
- Interchangeable door hinges
- Lock option included
- Default right hand hinge

Made in Austria

\* Based on 750ml Bordeaux bottle








**WTes 4677**



### Perfect wine

The GrandCru multi zone wine cellar **WTes 4177** incorporates state-of-the-art technology including; a special compressor, activated charcoal filter, double glazed tinted glass door and automatic humidity control and is specifically designed to store all your different wines at their respective ideal drinking temperatures in the same cabinet.



### WTes 4177

- GrandCru
- 173 bottle capacity\*
- Double glazed tinted glass door
- Stainless steel
- SlimLine door handle with integrated opening mechanism
- Fresh air supply via activated charcoal filter
- Electronic control panel
- Internal digital temperature display
- 6 temperature zones
- Temperature range from 5°C to 18°C
- Audible door alarm if left open
- Optical and acoustic malfunction warning signal
- Interior lighting
- 5 adjustable wooden shelves (handcrafted beech wood)
- 1 base shelf
- Child proofing
- Interchangeable door hinges
- Lock option included
- Default right hand hinge



\* Based on 750ml Bordeaux bottle





### Single Zone Series

The GrandCru and Vinothek range of wine cellars includes the; **WK 6476**, **WKes 4177** and **WK 4127** featuring distinctive equipment and offering excellent operating efficiency. They are ideal for storing wines for long periods of time allowing them to mature to perfection. Depending on what temperature the appliances are set to, they can also be used for keeping white wine or red wine at exactly the right temperature for serving. With a constant supply of fresh air via activated charcoal filters and re-circulated air-cooling, these appliances guarantee consistently high air quality during the maturing process. The largest in our GrandCru range is **WK 6476**, with the capacity to store up to 312 bottles\*.



#### WKes 4177

- GrandCru
- 162 bottle capacity\*
- Double glazed tinted glass door
- Stainless steel
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter
- Electronic control panel
- Internal digital temperature display
- Temperature range from 5°C to 20°C
- Child proof temperature lock
- Audible door alarm if left open
- Optical and acoustic malfunction warning signal
- Interior lighting
- SwingLine design
- SlimLine door handle with integrated opening mechanism
- 5 adjustable wooden shelves (handcrafted beech wood)
- 1 base shelf
- Lock option included
- Reversible door hinge
- Default right hand hinge

Made in Austria



#### WK 4127

- Vinothek
- 162 bottle capacity\*
- Double glazed tinted glass door
- Tinto finish
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter
- Electronic control panel
- Internal digital temperature display
- Temperature range from 5°C to 20°C
- Interior light
- 5 adjustable wooden shelves (handcrafted beech wood)
- 1 base shelf
- SwingLine design
- Optional lock available
- Reversible door hinge
- Default right hand hinge

Made in Austria

\* Based on 750ml Bordeaux bottle





## WK 6476

- GrandCru
- 312 bottle capacity\*
- Full panel door
- Tinto finish
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter
- Electronic control panel
- External digital temperature display
- Temperature range from 5°C to 20°C
- Child proof temperature lock
- Audible door and temperature alarm
- Optical and acoustic malfunction warning signal
- Interior lighting
- SwingLine design
- SlimLine door handle with integrated opening mechanism
- 6 adjustable wooden shelves (handcrafted beech wood)
- 1 base shelf
- Lockable door
- Reversible door hinge
- Default right hand hinge

Made in Austria

\* Based on 750ml Bordeaux bottle



**WK 6476**

### Built-In wine cellar

For stylish storage of wines in your living area there is a built-in appliance for the 122cm niche. The **WTEes 2053** with glass door and elegant stainless steel frame provides stylish presentation and a clear view of the wines within. Wines can be stored in the wine cellar at the respective temperature required. Both compartments can be set independently of each other to temperatures between 5°C and 20°C. The innovative LED lighting ensures uniform illumination and can be individually dimmed. The stylish wooden shelves accommodate 64 bottles\* for storage at your desired temperature whether it be for serving or cellaring. There is room for 23 bottles\* in the upper zone and 41 bottles\* in the lower zone. All the wooden shelves pull out smoothly on telescopic rails. One wooden shelf per wine storage zone is also half-folding for perfect wine presentation and for storing all open bottles safely.



#### WTEes 2053

- Vinidor
- 64 bottle capacity\*
- Triple glazed tinted glass door
- Stainless steel
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter in each compartment
- Electronic control panel
- Internal digital temperature display visible externally
- 2 separately adjustable cooling circuits
- 2 temperature zones and each zone adjustable from 5°C to 20°C
- Audible door alarm if left open and temperature alarm warning signal
- LED interior lighting - dimmable LED light with separate switch
- Ventilation switch
- Humidity control via activating optional ventilation
- 4 wooden pull-out shelves mounted on telescopic rails (handcrafted beech wood)
  - 2 can be folded down in part
- 2 base shelves
- Interchangeable door hinges
- Child proof function
- Default right hand hinge



\* Based on 750ml Bordeaux bottle

**PLEASE NOTE:** For important information about ventilation for integrated appliances see page 50.





WTEes 2053



### Underbench wine cellar

The **WTUes 1653** represents an innovative solution for wine storage of different varieties. Offering unit controls located within an insulation layer between the temperature zones, it makes it possible to set two different temperatures within the unit between 5°C and 20°C. Store red and white wines according to your preference – use the entire cabinet for one or store both, each at its optimum drinking temperature. The glass door with its high quality, elegant stainless steel frame allows you to enjoy a top quality wine experience.



#### WTUes 1653

- Vinidor
- 38 bottle capacity\*
- Stainless steel framed double glazed tinted glass door
- Recirculated-air cooling
- Fresh air supply via activated charcoal filter
- Electronic control panel
- Internal digital temperature display
- 2 separately adjustable cooling circuits
- 2 temperature zones each zone adjustable from 5°C to 20°C
- Audible door alarm if left open
- Temperature alarm warning signal
- Front ventilation and air extraction through plinth
- No ventilation grille necessary in the work surface
- Dimmable LED interior lighting - separate switch
- Elegant stainless steel SlimLine handle
- 3 wooden pull-out shelves mounted on telescopic rails (handcrafted beech wood)
- 2 base shelves
- Child proofing
- Adjustable plinth height by 50mm with set screws
- Interchangeable door hinges and lockable door
- Default right hand hinge



\* Based on 750ml Bordeaux bottle

This appliance has specific installation requirements which can be found in the owners manual.





WTUes 1653

## BUILT-IN WINE CELLARS

The compact built-in wine cellar **WKEes 553** GrandCru is equipped with state-of-the-art climate control technology and offers everything needed for professionally storing up to 18 Bordeaux bottles of wine and keeping it at serving temperature. An accurate MagicEye control system with touch electronics ensures that the temperature is kept to exactly the degree selected, ranging from 5°C to 20°C. Tinted and insulated safety glass also ensure ideal protection against harmful UV rays. Featuring an exclusive design and incorporating high-quality technology, the appliance fits into a 45cm recess for integration in a modern kitchen environment.



### WKEes 553

- GrandCru
- Single zone
- 18 bottle capacity\*
- Stainless steel frame
- Double glazed tinted glass door
- Recirculated air-cooling
- Fresh air supply via activated charcoal filter
- Electronic touch control panel
- Temperature display
- Temperature range from 5°C to 20°C
- 3 storage shelves (handcrafted beech wood)
  - 2 of which are wooden pull-out grid shelves with front wooden panel
- LED interior lighting
- Door & temperature alarm
- Child lock function
- Reversible door hinge
- Default right hand hinge



\* Based on 750ml Bordeaux bottle

**PLEASE NOTE:** For important information about ventilation for integrated appliances see page 50.





WKEes 553

**COMING SOON**

**Liebherr's first .....**



**SBSes 7273**

**.....Stainless steel Side-by-Side  
with ice and water dispenser!**

*Free  
Standing*

*Bio  
Fresh  
Plus*

*No  
Frost*

*Smart  
Steel*

*Soft  
System*

*Ice  
Center*



ECN 6156

**.....Fully integrated bottom mount refrigerator with freezer drawers!**

No Frost

Ice Maker

Soft System

**.....Fully integrated French Door refrigerator with freezer drawers!**

Bio Fresh

Ice Maker

Soft System

No Frost



ECBN 6256

Anticipated arrival 2012



## OVERVIEW

Model	SBSes 7155*		SBSes 7353*		SBSes 7252*		CNes 6256	CBNes 5167	SKes 4210
Side-by-Sides consist of two models	SWTNes 3010	SKBes 4211	SBNes 3210	SKes 4210	SGNes 3010	SKes 4210	—	—	—
Type	FS	FS	FS	FS	FS	FS	FS	FS	FS
Energy consumption / year (kWh)	339	252	358	279	310	279	546	369	279
Energy rating	3.0	3.0	3.0	2.5	3.5	2.5	2.5	3.5	2.5
Dual compressors	—	—	—	—	—	—	•	•	—
Total gross capacity (L)	295	403	321	405	304	405	585	473	405
Total net capacity (L)	247	364	276	391	261	391	488	403	391
Gross capacity (L)									
Refrigerator	—	277	—	405	—	405	402	225	405
Freezer	150	—	150	—	304	—	183	137	—
BioFresh compartment	—	126	171	—	—	—	—	111#	—
Wine compartment	145	—	—	—	—	—	—	—	—
Net capacity (L)									
Refrigerator	—	247	—	391	—	391	374	196	391
Freezer	119	—	119	—	261	—	114	110	—
BioFresh compartment	—	117	157	—	—	—	—	97#	—
Wine compartment	128	—	—	—	—	—	—	—	—
24hr freezing capacity (kg)	16	—	14	—	20	—	10	14	—
Automatic refrigerator defrosting	—	•	—	•	—	•	•	•	•
Freezer defrosting	FF	—	FF	—	FF	—	FF	FF	—
IceMaker	•	—	•	—	—	—	•	•	—
Ice cube capacity (kg/24h)	0.8	—	0.8	—	—	—	1.3	1	—
Ice cube stock max. (kg)	1.5	—	1.5	—	—	—	2.7	1.5	—
Stainless steel hose supplied (m)	1.5	—	1.5	—	—	—	3	1.5	—
BioFresh	—	•	•	—	—	—	—	•	—
SuperFrost	•	—	•	—	•	—	•	•	—
SuperCool	—	•	—	•	—	•	•	•	•
Height (mm)	1852	1852	1852	1852	1852	1852	2039	2020	1852
Width (mm)	600	600	600	600	600	600	910	750	600
Depth incl. distance from wall (mm)	630	630	630	630	630	630	615	630	630
Height underbench adj. by (mm)	—	—	—	—	—	—	—	—	—
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Rated Input Power (W)	240	192	336	192	216	192	384	360	192
Made in	G	G	G	G	G	G	A	A	G

Key: FS = Freestanding, UB = Underbench, FI = Fully Integrated, ^ Including BioFresh, # BioFreshPlus, FF = Frost Free, M = Manual, G = Germany, A = Austria, \* = Freestanding side by sides consist of two Liebherr models. These models **cannot** be purchased separately.

Cavity clearance for freestanding units please allow min. 50 mm above the unit, if there is no ventilation cut-out. Door hinging either right or left hand must be nominated for all Liebherr models, except for the SBSes 7155, SBSes 7353, SBSes 7252 and CNes 6256.

Model	UIK 1620	UIG 1313	SBS 5714 <sup>^</sup>		SBS 5713 <sup>^</sup>		SBS 5712 <sup>^</sup>		SBS 6114 <sup>^</sup>		SBS 4712 <sup>^</sup>	
Side-by-Sides consist of two models	—	—	SICBN 3056	SICBN 3066	SICBN 3056	SICN 3066	SICN 3056	SICN 3066	SIGN 2566	SIKB 3650	SIG 1956	SIKP 2850
Type	UB - FI	UB - FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI
Energy consumption / year (kWh)	153	169	461	461	461	402	402	402	329	318	271	310
Energy rating	3.5	3.5	1.5	1.5	1.5	2.0	2.0	2.0	3.0	1.5	3.0	1.5
Dual compressors	—	—	—	—	—	—	—	—	—	—	—	—
Total gross capacity (L)	140	96	252	252	252	279	279	279	248	326	188	265
Total net capacity (L)	135	95	224	223	223	262	262	262	206	307	186	254
Gross capacity (L)												
Refrigerator	140	—	119	119	119	200	200	200	—	232	—	265
Freezer	—	96	79	79	79	79	79	79	248	—	188	—
BioFresh compartment	—	—	54	54	54	—	—	—	—	94	—	—
Wine compartment	—	—	—	—	—	—	—	—	—	—	—	—
Net capacity (L)												
Refrigerator	135	—	106	106	106	197	197	197	—	215	—	254
Freezer	—	95	66	65	65	65	65	65	206	—	186	—
BioFresh compartment	—	—	52	52	52	—	—	—	—	92	—	—
Wine compartment	—	—	—	—	—	—	—	—	—	—	—	—
24hr freezing capacity (kg)	—	12	10	10	10	10	10	10	18	—	16	—
Automatic refrigerator defrosting	•	—	•	•	•	•	•	•	—	•	—	•
Freezer defrosting	—	M	FF	FF	FF	FF	FF	FF	FF	—	M	—
IceMaker	—	—	—	•	—	•	—	•	•	—	—	—
Ice cube capacity (kg/24h)	—	—	—	0.8	—	0.8	—	0.8	0.8	—	—	—
Ice cube stock max. (kg)	—	—	—	1.5	—	1.6	—	1.6	1.5	—	—	—
Stainless steel hose supplied (m)	—	—	—	1.5	—	1.5	—	1.5	1.5	—	—	—
BioFresh	—	—	•	•	•	—	—	—	—	•	—	—
SuperFrost	—	•	•	•	•	•	•	•	•	—	•	—
SuperCool	•	—	•	•	•	•	•	•	—	•	—	•
Height (mm)	820 - 870	820 - 870	1769.5	1769.5	1769.5	1769.5	1769.5	1769.5	1770	1770	1395	1395
Width (mm)	597	597	557	557	557	557	557	557	557	557	557	557
Depth incl. distance from wall (mm)	550	550	min. 550	min. 550	min. 550	min. 550	min. 550	min. 550	min. 550	min. 550	min. 550	min. 550
Height underbench adj. by (mm)	50	50	—	—	—	—	—	—	—	—	—	—
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Rated Input Power (W)	288	312	240	240	240	240	240	240	216	192	216	192
Made in	G	G	G	G	G	G	G	G	G	G	G	G

Key: FS = Freestanding, UB = Underbench, FI = Fully Integrated, ^ Including BioFresh, # BioFreshPlus, FF = Frost Free, M = Manual, G = Germany, A = Austria,  
<sup>^</sup> = Integrated side by sides consist of two Liebherr models. These models **can** be purchased separately.

Cavity clearance for freestanding units please allow min. 50 mm above the unit, if there is no ventilation cut-out. Door hinging either right or left hand must be nominated for all Liebherr models, except for the SBSes 7155, SBSes 7353, SBSes 7252 and CNeS 6256.

## OVERVIEW

Wine Cellar Model	WTes 4677	WTes 4177	WKes 4177	WK 4127	WK 6476	WTes 2053	WTUes 1653	WKes 553
Type	FS	FS	FS	FS	FS	BI	BI - UB	BI
Bottle capacity <sup>Δ</sup>	143	173	162	162	312	64	38	18
Tinted glazed door	•	•	•	•	N/A	•	•	•
Colour	SS	SS	SS	T	T	SS	SS	SS
Temperature zones	3	6	1	1	1	2	2	1
Temperature range (°C)	5 - 20	5 - 18	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20
Suitable for ambient temp. from I to (°C)	10   38	10   38	10   38	10   38	10   43	10   38	10   38	10   32
Energy consumption - kWh/24hr <sup>○</sup>	1.08	0.7	0.6	0.8	0.4	0.4	0.7	0.4
Interior light	•	•	•	•	•	•	•	•
Wooden shelves	10	5	5	5	6	4	3	2
Total gross capacity (L) <sup>○</sup>	430	409	403	403	666	195	127	48
Gross weight (kg)	121	90	90	91	99	70	61	32
Net weight (kg)	114	80	80	81	91	66	55	30
Height (mm)	1855	1658	1658	1658	1930	1218	820 - 870	441
Width (mm)	660	660	660	660	747	557	597	557
Depth (mm)	671	671	671	671	786	555	575	522
Made in	A	A	A	A	A	A	A	A

Key: FS = Freestanding, UB = Underbench, BI = Built-In, T = Tinto, SS = Stainless Steel, A = Austria, <sup>○</sup> = Measurements taken at +25°C ambient and +12°C interior temperature tested by Liebherr Germany (not to Australian standards), <sup>Δ</sup> = Based on Bordeaux 750ml bottle – capacity may vary depending on bottle shape and size. Cavity clearance for freestanding units please allow min. 50 mm above the unit. Door hinging either right or left hand must be nominated for all Liebherr wine cellars.

### 90 Day Money Back Guarantee - Terms & conditions:

- From October 1<sup>st</sup> 2007 Premium Appliances Australia will offer a 90 day money back guarantee on all Liebherr wine cellars.
- This guarantee excludes all Liebherr refrigeration incl. the SBSes 7155.
- To qualify for the 90 day money back guarantee the wine cellar must be trialed for a minimum of 60 days and returned prior to the conclusion of 90 days from the purchase date.
- If at any time during the trial period it appears there may be a fault or defect with the appliance, the customer must report it to Premium Appliances Australia immediately via e-mail, telephone, letter or fax. If the fault or defect can not be rectified during the trial period, the customer will be able to return the appliance as per the terms and conditions stated for the 90 day money back guarantee.
- Refunds will not be issued if the customer 'changes their mind'. Refunds will only be issued if the customer is not satisfied with the Liebherr wine cellar and believes it has not fulfilled its designed purpose and did not care for the wine as anticipated.
- Refunds will only be issued for the purchase price of the Liebherr wine cellar. It excludes all other costs including delivery and handling charges that may have been incurred upon purchasing the appliance and any costs that may be incurred upon returning the appliance to claim a refund. Any installation or handling charges that may have been incurred for built-in wine cellars are also excluded. This includes both installation and removal of the wine cellar if the customer chooses to return the appliance. It also excludes any costs incurred by the customer contacting Premium Appliances Australia whether by phone, e-mail, fax, letter or any other means. These refund terms are not negotiable.
- Premium Appliances Australia will organise collection of the appliance in metropolitan areas only – no charge will be incurred by the customer.
- Premium Appliances Australia will also organise collection of the appliance outside of metropolitan areas however a charge will apply in those instances – you will be advised of this cost prior to collection. If you choose not to pay this cost prior to collection of the appliance you will be refunded the cost of the appliance less the collection fee.
- Goods must be returned in the original condition. If goods are damaged during delivery or installation of the appliance or by the customer, Premium Appliances Australia on behalf of Liebherr reserve the right to refuse the refund claim or reduce the refund to an amount Premium Appliances Australia deem appropriate.
- Goods must be returned in original packaging with all accessories and materials that were supplied. If goods are not returned in original packaging inclusive of all accessories and materials, Premium Appliances Australia on behalf of Liebherr reserve the right to refuse the refund claim or reduce the refund to an amount Premium Appliances Australia deem appropriate.
- Please allow up to 30 days for the refund to be processed after receipt of returned appliance. Refunds will be issued in the form of a cheque to the nominated person on the return claim form.
- A return claim form must be completed prior to collection of the appliance.
- A return claim form can be downloaded from [www.premiumapp.com.au](http://www.premiumapp.com.au) or can be mailed upon request by contacting 1800 685 899.
- A return claim form must be received within 90 days from purchase. No consideration will be given for a return claim form received after the 90 day period. A return claim form that is received prior to the 60 day trial being completed will not be given due consideration.
- A return claim form must be mailed to the below address. Proof of purchase (invoice) must accompany the return claim form and indicate: the date the goods were purchased and delivered, the cost of the appliance excluding delivery charges and that the goods were paid for in full. Manual dockets will not be accepted. An incomplete or illegible return claim form will be deemed invalid.


**Premium Appliances Australia**  
**90 Day Money Back Guarantee**  
**1 Stamford Road**  
**Oakleigh Vic 3166**

- Premium Appliances Australia will contact the customer after the return claim form and accompanying requested information is received to arrange a suitable day to collect the appliance. Collection days are Monday to Friday between the business hours of 9am – 5pm. Premium Appliances Australia can not stipulate an exact time for collection. If the customer chooses to return the appliance of their own accord these days and hours still apply.
- The 90 day money back guarantee on Liebherr wine cellars is only open to residents of Australia.
- The 90 day money back guarantee is only open to NEW customers who purchase after October 1<sup>st</sup> 2007. If you are an existing owner of a Liebherr wine cellar prior to this date, the money back guarantee does not apply.
- The 90 day money back guarantee may only be claimed where the purchase is for private / domestic / household use. Wine cellars used for commercial purposes are excluded.
- If any of the terms and conditions of the Liebherr 90 day money back guarantee are violated the goods will be deemed non returnable.
- Premium Appliances Australia on behalf of Liebherr reserve the right to make changes to the terms and conditions of this offer at any time or may conclude the 90 day money back guarantee offer at any time without notification.
- This guarantee offer is in addition to your rights under Australian Consumer Law. Refer to warranty card for further details.



## INSTALLATION DIAGRAMS


SBSes 7155  
SBSes 7353  
SBSes 7252\*



Millimetres (mm)


\*Illustrative diagram only, left hand single door on actual appliance.

## CNes 6256




Millimetres (mm)

## CBNes 5167




Millimetres (mm)

SKes 4210



Millimetres (mm)


SICBN 3066  
SICBN 3056  
SICN 3066  
SICN 3056



**Height / Width / Depth**  
of installation space in mm:  
1772-1788 / 560-570 / min. 550  
Air vent min. 38

Millimetres (mm)


SIKB 3650  
SIGN 2566



**Height / Width / Depth**  
of installation space in mm:  
1772-1788 / 560-570 / min. 550  
Air vent min. 38

Millimetres (mm)


SIKP 2850  
SIG 1956



**Height / Width / Depth**  
of installation space in mm:  
**1397-1413 / 560-570 / min. 550**  
**Air vent min. 38**

Millimetres (mm)

UIK 1620  
UIG 1313



**Height / Width / Depth**  
of installation space in mm:  
820-870 / 600 / min. 550  
Air vent min. 38


Millimetres (mm)

**PLEASE NOTE:** Cavity clearance for freestanding units allow min. 50mm above the unit, if there is no ventilation cut-out. For important information about ventilation for integrated appliances see page 50. General information for the installation of Liebherr refrigeration can also be located on page 50.

## INSTALLATION DIAGRAMS


### SBS 5714 SBS 5713 SBS 5712

Height / Width / Depth  
of each refrigerator  
for installation space in mm:  
1772-1788 / 560-570 / min. 550  
Air vent min. 38  
Millimetres (mm)




### SBS 6114

Height / Width / Depth  
of each refrigerator  
for installation space in mm:  
1772-1788 / 560-570 / min. 550  
Air vent min. 38  
Millimetres (mm)




### SBS 4712

Height / Width / Depth  
of each refrigerator  
for installation space in mm:  
1397-1413 / 560-570 / min. 550  
Air vent min. 38  
Millimetres (mm)




### WTEes 2053

Height / Width / Depth  
of installation space in mm:  
1221-1225 / 560-570 / min. 550  
Air vent min. 38  
Millimetres (mm)




### WTUes 1653

Height / Width / Depth  
of installation space in mm:  
820-870 / 600 / min. 580  
Air vent min. 38  
Millimetres (mm)



### WKEes 553

Height / Width / Depth  
of installation space in mm:  
450 / 560 / min. 550  
Air vent min. 38  
Millimetres (mm)




**PLEASE NOTE:** For important information about ventilation for integrated appliances see page 50. General information for the installation of Liebherr refrigeration can also be located on page 50.

For all Liebherr appliances we recommend actual appliance and installation instructions accompanying each appliance be checked, where sizing is crucial.

### IceMaker Water Connection

1. Connection to cold water only.
2. 3/4 inch / 20mm male connection required.
3. Water pressure must be between 150kPa and 600kPa.
4. Shut off valve must be installed in an accessible location i.e adjacent cupboard.
5. Hose length of 1500mm, recommended shut off valve location: Immediately adjacent to the freezer with the shaded area.
6. To be read in conjunction with the installation instructions supplied with the appliance



\* Position of the water connection if a 1500mm hose is used. This hose is supplied with the appliance as standard.

## **ATTENTION: CABINET MAKER / INSTALLER / BUILDERS**

### **IMPORTANT INFORMATION ABOUT VENTILATION FOR INTEGRATED APPLIANCES**

Following the installation instructions that accompany a Liebherr integrated appliance is extremely important. Ventilation is imperative for the correct operation of Liebherr integrated appliances. It is essential that installers ensure minimum ventilation is provided in accordance with the installation manual that accompanies the actual appliance. Appliance faults resulting from incorrect installation or inadequate ventilation may not be covered by warranty. Please read the below information for a brief overview of installing integrated appliances.

#### **Installation**

- In a multiple unit installation each unit must be installed in a separate cabinet.
- Maximum cabinet and door panel thickness is 19mm (where applicable).
- The doors of units with two doors must not be joined together with a single joinery panel (where applicable).
- Joinery door panels must not exceed the admissible weight of the unit door (where applicable).

#### **Ventilation**

- Minimum 200cm<sup>2</sup> ventilation openings must be provided at both top and bottom of cabinet.
- Ventilation openings must have unobstructed flow and return into the room.
- Room must be a habitable room (excluding bedrooms) of not less than 50m<sup>3</sup> volume.
- When fitted, each ventilation grill must have a minimum open area of 200cm<sup>2</sup>.
- Ventilation openings provided for other appliances must not adversely affect the refrigeration unit ventilation.
- Failure to provide adequate ventilation can damage the appliance.

### **GENERAL INSTALLATION INFORMATION**

- Power outlet must be accessible. Do not install within the unit cabinet.
- Water supply point must be accessible. Do not install within the unit cabinet.
- Standard water hose length 1.5m.
- 3.0m water hose is available from Andi-Co Australia spare parts at an additional cost.

Operating and installation instructions are available on our website [www.premiumapp.com.au](http://www.premiumapp.com.au). Please note that changes may occur without notice therefore where actual appliance measurements and specifications are crucial, we recommend that the actual appliance installation instructions that accompany the appliance be used.



## CUSTOMER CARE

### Customer Care

Our National Customer Care Centre can be contacted should you require instructions or service. A local call charge 1300 line allows you to call from across Australia to directly dial for assistance. Our extensive service network covers most areas of Australia. Tel: 1300 650 020

### 3 Year Warranty

All Liebherr appliances have a full 3 year warranty covering parts and labour. If any part of the machine fails or a fault develops through normal use, it will be repaired free of charge (in accordance with terms and conditions on our warranty card).

### Spare Parts Direct

To order spare parts or accessories please call or fax our Spare Parts Office with the model and 9 digit service and serial number. The parts or accessories can be quickly despatched direct to your home.

Tel: (03) 9569 7744

Fax: (03) 9569 1650





---

# PREMIUM

APPLIANCES AUSTRALIA

---

For more information please visit us at:

Head Office  
1 Stamford Road, Oakleigh  
Victoria 3166

Phone: 1800 685 899

Fax: 03 9569 1450

Email: [sales@premiumapp.com.au](mailto:sales@premiumapp.com.au)

Web: [www.premiumapp.com.au](http://www.premiumapp.com.au)

Whilst every effort is made to ensure all specifications and information in our brochure is correct at time of printing. Premium Appliances Australia reserve the right to make changes without notification. Where actual appliance measurements, specifications and ratings are crucial we recommend that the actual appliance installation instructions that accompany each appliance be checked. Premium Appliances Australia ABN 68 005 899 365 will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise.  
Issue date: July 2011 Print code: LIEBHERRBROCHPAA©2011